



A Step Ahead...

QUAKER COLOR

DIVISION OF McADOO & ALLEN, INC.

201 S. HELLERTOWN AVENUE P.O. BOX 219
QUAKERTOWN, PENNSYLVANIA 18951-0219
(215) 536-3520 FAX (215) 536-6464
www.quakercolor.com

Technical Data Sheet- Leather Finishing Products

Product Code: JK-233F

DESCRIPTION

JK-233F is a medium soft, co-solvent free, high performance aliphatic polyurethane dispersion.

APPLICATIONS

- Used for leather base coat, intermediate coat, and some leather topcoat applications where good flexibility and embossing print retention is required.

FEATURES

- Soft tough film
- Good flexing properties
- Good embossing properties
- Good balance of lower cost and physical properties

PROPERTIES

Percent Solids, weight	37
Specific Gravity, 25°C	1.04
pH, typical value	8.8
Viscosity, cPs	25

STORAGE

Store in a cool, dry place, preferably less than 80°F, to ensure a useful shelf life of eighteen months. Protect from freezing.

Quaker Color manufactures all its products under carefully controlled conditions to meet rigid specifications. The values given in this publication are typical values intended as guidelines for the use of the products, they are not specifications. It is the user's responsibility to thoroughly test the product in their particular application to determine its performance, efficacy and safety. Should you require the actual specifications currently enforced on specific products contact your Quaker Color representative for the appropriate information.