QUAKER COLOR
DIVISION OF McADOO & ALLEN, INC.
201 S. HELLERTOWN AVENUE P.O. BOX 219
QUAKERTOWN, PENNSYLVANIA 18951-0219
(215) 536-3520 FAX (215) 536-6464
www.quakercolor.com

A Step Ahead…

Technical Data Sheet- Leather Finishing Products

Product Code: AW-1372

DESCRIPTION

AW-1372 is a unique reactive water based silicone additive used to enhance the surface feel, mar-resistance, and haptic properties of water based leather topcoats.

APPLICATIONS

Can be used at levels from 2-7% to impart a very pleasant, lubricated soft feel in water based leather topcoats.

FEATURES

- Improves Mar-resistance of leather topcoats
- Unique surface feel enhancement properties
- Improves anti-Stain & Soiling properties of automotive topcoats
- Improves water resistance

PROPERTIES

Percent Solids, weight	66%
Specific Gravity, 25°C	0.94g/cm3
pH, typical value	10.0
Viscosity, cPs	350

STORAGE

Store in a cool, dry place, preferably less than 80°F, to ensure a useful shelf life of eighteen months. Protect from freezing.

Quaker Color manufactures all its products under carefully controlled conditions to meet rigid specifications. The values given in this publication are typical values intended as guidelines for the use of the products, they are not specifications. It is the user's responsibility to thoroughly test the product in their particular application to determine its performance, efficacy and safety. Should you require the actual specifications currently enforced on specific products contact your Quaker Color representative for the appropriate information.